```
=>
=> d his

     (FILE 'HOME' ENTERED AT 10:04:48 ON 03 FEB 2005)

     FILE 'STNGUIDE' ENTERED AT 10:04:53 ON 03 FEB 2005

     FILE 'CAPLUS, BIOSIS, AGRICOLA, MEDLINE, CAOLD, CASREACT, CROPU, DGENE,
     DPCI, ENCOMPPAT, EPFULL, FRANCEPAT, FRFULL, FSTA, IFIPAT, IMSPATENTS,
     INPADOC, JAPIO, KOREAPAT, LITALERT, NTIS, PAPERCHEM2, PATDD, PATDPA,
     PATDPAFULL, PCTFULL, PCTGEN, PIRA, PROUSDDR, ...' ENTERED AT 10:06:14 ON
     03 FEB 2005
L1        10983 S KINASE (4A) (FUNG? OR ANIMAL)
L2         8065 S L1 AND (DNA OR CDNA OR GENE OR NUCLEOTIDE OR NUCLEIC)
L3         1176 S L2 AND (TRANSGENIC OR TRANSFORM?) (3A) (PLANT OR CELL)
L4          403 S L3 NOT PY>1998
L5          397 DUP REMOV L4 (6 DUPLICATES REMOVED)
L6            6 S L5 AND (MAPKKK OR ANP? OR NPK?)

     FILE 'STNGUIDE' ENTERED AT 10:22:47 ON 03 FEB 2005

     FILE 'PCTFULL, USPATFULL' ENTERED AT 10:24:10 ON 03 FEB 2005

     FILE 'STNGUIDE' ENTERED AT 10:24:34 ON 03 FEB 2005
```

```
Connecting via Winsock to STN


Welcome to STN International!  Enter x:x

LOGINID:SSSPTA1649MXI

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2


* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

 NEWS  1           Web Page URLs for STN Seminar Schedule - N. America
 NEWS  2           "Ask CAS" for self-help around the clock
 NEWS  3  SEP 01   New pricing for the Save Answers for SciFinder Wizard within
                   STN Express with Discover!
 NEWS  4  OCT 28   KOREAPAT now available on STN
 NEWS  5  NOV 30   PHAR reloaded with additional data
 NEWS  6  DEC 01   LISA now available on STN
 NEWS  7  DEC 09   12 databases to be removed from STN on December 31, 2004
 NEWS  8  DEC 15   MEDLINE update schedule for December 2004
 NEWS  9  DEC 17   ELCOM reloaded; updating to resume; current-awareness
                   alerts (SDIs) affected
 NEWS  10 DEC 17   COMPUAB reloaded; updating to resume; current-awareness
                   alerts (SDIs) affected
 NEWS  11 DEC 17   SOLIDSTATE reloaded; updating to resume; current-awareness
                   alerts (SDIs) affected
 NEWS  12 DEC 17   CERAB reloaded; updating to resume; current-awareness
                   alerts (SDIs) affected
 NEWS  13 DEC 17   THREE NEW FIELDS ADDED TO IFIPAT/IFIUDB/IFICDB
 NEWS  14 DEC 30   EPFULL: New patent full text database to be available on STN
 NEWS  15 DEC 30   CAPLUS - PATENT COVERAGE EXPANDED
 NEWS  16 JAN 03   No connect-hour charges in EPFULL during January and
                   February 2005
 NEWS  17 JAN 26   CA/CAPLUS - Expanded patent coverage to include the Russian
                   Agency for Patents and Trademarks (ROSPATENT)

 NEWS EXPRESS  JANUARY 10 CURRENT WINDOWS VERSION IS V7.01a, CURRENT
               MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
               AND CURRENT DISCOVER FILE IS DATED 10 JANUARY 2005

 NEWS HOURS    STN Operating Hours Plus Help Desk Availability
 NEWS INTER    General Internet Information
 NEWS LOGIN    Welcome Banner and News Items
 NEWS PHONE    Direct Dial and Telecommunication Network Access to STN
 NEWS WWW      CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

  All use of STN is subject to the provisions of the STN Customer
  agreement.  Please note that this agreement limits use to scientific
  research.  Use for software development or design or implementation
  of commercial gateways or other similar uses is prohibited and may
  result in loss of user privileges and other penalties.

  * * * * * * * * * * * * * * STN  Columbus  * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:04:48 ON 03 FEB 2005
```

```
=> FIL STNGUIDE
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.21       0.21

FILE 'STNGUIDE' ENTERED AT 10:04:53 ON 03 FEB 2005
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: Jan 28, 2005 (20050128/UP).

=> file caplus biosis agricola medline europatfull patents
'EUROPATFULL' IS NOT A VALID FILE NAME
Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files
that are available.  If you have requested multiple files, you can
specify a corrected file name or you can enter "IGNORE" to continue
accessing the remaining file names entered.
ENTER A FILE NAME OR (IGNORE):europatful
'EUROPATFUL' IS NOT A VALID FILE NAME
Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files
that are available.  If you have requested multiple files, you can
specify a corrected file name or you can enter "IGNORE" to continue
accessing the remaining file names entered.
ENTER A FILE NAME OR (IGNORE):ignore
FILE 'ENCOMPPAT2' ACCESS NOT AUTHORIZED
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.12       0.33

FILE 'CAPLUS' ENTERED AT 10:06:14 ON 03 FEB 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 10:06:14 ON 03 FEB 2005
Copyright (c) 2005 The Thomson Corporation.

FILE 'AGRICOLA' ENTERED AT 10:06:14 ON 03 FEB 2005

FILE 'MEDLINE' ENTERED AT 10:06:14 ON 03 FEB 2005

FILE 'CAOLD' ENTERED AT 10:06:14 ON 03 FEB 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CASREACT' ENTERED AT 10:06:14 ON 03 FEB 2005
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'CROPU' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DGENE' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'DPCI' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'ENCOMPPAT' ENTERED AT 10:06:14 ON 03 FEB 2005
EnComppat compilation and indexing (C) 2005
Elsevier Engineering Information Inc. All rights reserved.
```

FILE 'EPFULL' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 European Patent Office / FIZ Karlsruhe

FILE 'FRANCEPAT' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 INPI

FILE 'FRFULL' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Univentio

FILE 'FSTA' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 International Food Information Service

FILE 'IFIPAT' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 IFI CLAIMS(R) Patent Services (IFI)

FILE 'IMSPATENTS' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 IMSWORLD Publications Ltd.

FILE 'INPADOC' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 European Patent Office, Vienna (EPO)

FILE 'JAPIO' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Japanese Patent Office (JPO)- JAPIO

FILE 'KOREAPAT' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 KIPI

FILE 'LITALERT' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'NTIS' ENTERED AT 10:06:14 ON 03 FEB 2005
Compiled and distributed by the NTIS, U.S. Department of Commerce.
It contains copyrighted material.
All rights reserved. (2005)

FILE 'PAPERCHEM2' ENTERED AT 10:06:14 ON 03 FEB 2005
Paperchem2 compilation and indexing (C) 2005
Elsevier Engineering Information Inc. All rights reserved.

FILE 'PATDD' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT 2005 (C) Deutsches Patent- und Markenamt (DPMA)

FILE 'PATDPA' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (c) 2005 Deutsches Patent- und Markenamt / FIZ Karlsruhe (DPMA/FIZ KA)

FILE 'PATDPAFULL' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 DPMA

FILE 'PCTFULL' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Univentio

FILE 'PCTGEN' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 WIPO

FILE 'PIRA' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Pira International

FILE 'PROUSDDR' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Prous Science

FILE 'PS' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Thieme on STN

```
FILE 'RAPRA' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 RAPRA Technology Ltd.

FILE 'RDISCLOSURE' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Kenneth Mason Publications Ltd.

FILE 'SYNTHLINE' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 Prous Science

FILE 'TULSA' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 The University of Tulsa (UTULSA)

FILE 'TULSA2' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 The University of Tulsa (UTULSA)

FILE 'USPATFULL' ENTERED AT 10:06:14 ON 03 FEB 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 10:06:14 ON 03 FEB 2005
CA INDEXING COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'WPIDS' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'WPIFV' ENTERED AT 10:06:14 ON 03 FEB 2005
COPYRIGHT (C) 2005 THOMSON DERWENT

FILE 'WPINDEX' ACCESS NOT AUTHORIZED

=> s kinase near4 (fung? or animal)
MISSING OPERATOR 'NEAR4 (FUNG?'
The search profile that was entered contains terms or
nested terms that are not separated by a logical operator.

=> s kinase (4a) (fung? or animal)
   7 FILES SEARCHED...
  17 FILES SEARCHED...
  27 FILES SEARCHED...
L1       10983 KINASE (4A) (FUNG? OR ANIMAL)

=> s l1 and (DNA or cDNA or gene or nucleotide or nucleic)
   8 FILES SEARCHED...
  17 FILES SEARCHED...
  26 FILES SEARCHED...
  27 FILES SEARCHED...
  38 FILES SEARCHED...
L2        8065 L1 AND (DNA OR CDNA OR GENE OR NUCLEOTIDE OR NUCLEIC)

=> L2 and (transgenic or transform?) (3a) (plant or cell)
L2 IS NOT A RECOGNIZED COMMAND
The previous command name entered was not recognized by the system.
For a list of commands available to you in the current file, enter
"HELP COMMANDS" at an arrow prompt (=>).

=> s L2 and (transgenic or transform?) (3a) (plant or cell)
   1 FILES SEARCHED...
   3 FILES SEARCHED...
   8 FILES SEARCHED...
  21 FILES SEARCHED...
  26 FILES SEARCHED...
  38 FILES SEARCHED...
L3        1176 L2 AND (TRANSGENIC OR TRANSFORM?) (3A) (PLANT OR CELL)

=> s l3 not PY>1998
```

```
   8 FILES SEARCHED...
   9 FILES SEARCHED...
  19 FILES SEARCHED...
  27 FILES SEARCHED...
'1998' NOT A VALID FIELD CODE
  38 FILES SEARCHED...
L4          403 L3 NOT PY>1998

=> remov dupl l4
DUPL IS NOT VALID HERE
The DELETE command is used to remove various items stored by the
system.

To delete a saved query, saved answer set, saved L-number list, SDI
request, batch request, mailing list, or user-defined cluster, format,
or search field, enter the name.  The name may include ?  for left,
right, or simultaneous left and right truncation.

Examples:

  DELETE BIO?/Q           - delete query names starting with BIO
  DELETE ?DRUG/A          - delete answer set names ending with DRUG
  DELETE ?ELEC?/L         - delete L-number lists containing ELEC
  DELETE ANTICOAG/S       - delete SDI request
  DELETE ENZYME/B         - delete batch request
  DELETE .MYCLUSTER       - delete user-defined cluster
  DELETE .MYFORMAT        - delete user-defined display format
  DELETE .MYFIELD         - delete user-defined search field
  DELETE NAMELIST MYLIST - delete mailing list

To delete an ordered document or an offline print, enter its
number.

Examples:

  DELETE P123001C         - delete print request
  DELETE D134002C         - delete document order request

To delete an individual L-number or range of L-numbers, enter the
L-number or L-number range.  You may also enter DELETE LAST followed
by a number, n, to delete the last n L-numbers.  RENUMBER or
NORENUMBER may also be explicitly specified to override the value of
SET RENUMBER.

Examples:

  DELETE L21              - delete a single L-number
  DELETE L3-L6            - delete a range of L-numbers
  DELETE LAST 4           - delete the last 4 L-numbers
  DELETE L33-             - delete L33 and any higher L-number
  DELETE -L55             - delete L55 and any lower L-number
  DELETE L2-L6 RENUMBER - delete a range of L-numbers and
                          renumber remaining L-numbers
  DELETE RENUMBER         - renumber L-numbers after deletion of
                          intermediate L-numbers

Entire sets of saved items, SDI requests, batch requests, user-defined
items, or E-numbers can be deleted.

Examples:

  DELETE SAVED/Q - delete all saved queries
  DELETE SAVED/A - delete all saved answer sets
  DELETE SAVED/L - delete all saved L-number lists
```